



Hanfseile, DIN EN 1261, Form B 4-litzig

Seil-nenn- Ø [mm]	Gewicht [kg/m]	Seil- Mindest- Bruchkraft [daN]	Bestell- nummer
6	0,027	235	110100006
8	0,047	450	110100008
10	0,074	700	110100010
12	0,111	1.080	110100012
14	0,141	1.485	110100014
16	0,185	1.825	110100016
18	0,230	2.250	110100018
20	0,285	2.780	110100020
22	0,345	3.240	110100022
24	0,410	3.980	110100024
26	0,485	4.600	110100026
28	0,560	5.410	110100028
30	0,640	6.180	110100030
32	0,735	7.000	110100032
36	0,930	8.560	110100036
40	1,150	9.980	110100040
44	1,380	11.800	110100044



Polyamidseil, DIN EN 696, Form A 3-litzig

Seil-nenn- Ø [mm]	Gewicht [kg/100m]	Seil- Mindest- Bruchkraft [daN]	Bestell- nummer
4	0,0105	315	120100004
6	0,0225	735	120100006
8	0,0400	1.320	120100008
10	0,0620	2.040	120100010
12	0,0890	2.940	120100012
14	0,158	4.020	120100014
16	0,200	5.200	120100016
18	0,245	6.570	120100018
20	0,300	8.140	120100020
22	0,395	9.800	120100022
24	0,420	11.800	120100024
26	0,485	13.700	120100026
28	0,555	15.500	120100028
30	0,630	17.400	120100030
32	0,790	19.600	120100032
36	0,800	24.400	120100036
40	0,990	29.400	120100040
44	1,200	35.100	120100044



Polypropylenseile, DIN EN 699, Form A 3-litzig

Seil-nenn- Ø [mm]	Gewicht [kg/m]	Seil- Mindest- Bruchkraft [daN]	Bestell- nummer
6	0,017	590	130100006
8	0,030	1.040	130100008
10	0,045	1.530	130100010
12	0,065	2.170	130100012
14	0,090	2.890	130100014
16	0,115	3.700	130100016
18	0,148	4.720	130100018
20	0,180	5.690	130100020
22	0,220	6.820	130100022
24	0,260	7.970	130100024
26	0,305	9.220	130100026
28	0,355	10.500	130100028
30	0,405	12.000	130100030
32	0,460	13.200	130100032
36	0,585	16.600	130100036
40	0,720	20.100	130100040
44	0,880	24.100	130100044

