

Declaration of Conformity with EC Requirements



PHILIPP GROUP

EC Declaration of Conformity acc. to 2006/42/EC Annex II 1A (Machinery Directive)



PHILIPP Masonry anchor with crimped-on threaded insert

The manufacturer

PHILIPP GmbH
Lilienthalstr. 7-9
63741 Aschaffenburg
Germany

hereby declares that the following construction product with the

product designation

**PHILIPP Masonry anchor with crimped-on threaded in-
sert**

Lifting anchor

Ref.-No.: 67M...WE

Type [RD]: 12 / 14 / 16 / 18 / 20 / 24 / 30

complies acc. to Article 2 (d) of the following EC Directive in all relevant provisions:

Directive 2006/42/EC of the European Parliament and of the
Council of 17 May 2006 on machinery, and amending Di-
rective 95/16/EC (recast)

Harmonised standards used:

Other technical standards or
specifications used:

VDI/BV-BS 6205 Part 2, par. 8.2.2.2
The product safety factor was derived under the assumption
that the working coefficient according to Directive
2006/42/EC includes a dynamic coefficient of 1.3.

Person authorised to compile
the technical file:

Mr. Dipl.-Ing. Felix Wacker, Technical Director,
PHILIPP GmbH

PHILIPP GmbH
Aschaffenburg, 14.08.2017

Thorsten Philipp
(Managing Director)

i.V. Dipl.-Ing. Felix Wacker
(Technical Director)

EG-Konformitätserklärung



PHILIPPGROUP

EC Declaration of Conformity acc. to 2006/42/EC Annex II 1A (Machinery Directive)



PHILIPP Masonry anchor with crimped-on wire rope loop

The manufacturer

PHILIPP GmbH
Lilienthalstr. 7-9
63741 Aschaffenburg
Germany

hereby declares that the following construction product with the

product designation

PHILIPP Masonry anchor with crimped-on wire rope loop
Lifting anchor
Ref.-No.: 73MW...

Type: 900 / 1400 / 2000 / 3100 / 4000

complies acc. to Article 2 (d) of the following EC Directive in all relevant provisions:

Directive 2006/42/EC of the European Parliament and of the Council of 17 May 2006 on machinery, and amending Directive 95/16/EC (recast)

Harmonised standards used:

Other technical standards or specifications used:

VDI/BV-BS 6205 Part 2, par. 8.2.2.2
The product safety factor was derived under the assumption that the working coefficient according to Directive 2006/42/EC includes a dynamic coefficient of 1.3.

Person authorised to compile the technical file:

Mr. Dipl.-Ing. Felix Wacker, Technical Director,
PHILIPP GmbH

PHILIPP GmbH
Aschaffenburg, 14.08.2017

Thorsten Philipp
(Managing Director)

i.V. Dipl.-Ing. Felix Wacker
(Technical Director)

EG-Konformitätserklärung



PHILIPPGROUP

EC Declaration of Conformity
 acc. to 2006/42/EC Annex II 1A (Machinery Directive)

PHILIPP Masonry anchor with spherical head

The manufacturer

PHILIPP GmbH
Lilienthalstr. 7-9
63741 Aschaffenburg
Germany

hereby declares that the following construction product with the

product designation

PHILIPP Masonry anchor with spherical head

Lifting anchor

Ref.-No.: 81-...-...STWE

Load class: 2.5 / 4.0

complies acc. to Article 2 (d) of the following EC Directive in all relevant provisions:

 Directive 2006/42/EC of the European Parliament and of the
 Council of 17 May 2006 on machinery, and amending Di-
 rective 95/16/EC (recast)

Harmonised standards used:

Other technical standards or specifications used:

 VDI/BV-BS 6205 Part 2, par. 8.2.2.2
 The product safety factor was derived under the assumption
 that the working coefficient according to Directive
 2006/42/EC includes a dynamic coefficient of 1.3.

Person authorised to compile the technical file:

 Mr. Dipl.-Ing. Felix Wacker, Technical Director,
 PHILIPP GmbH

 PHILIPP GmbH
 Aschaffenburg, 14.08.2017

 Thorsten Philipp
 (Managing Director)

 i.V. Dipl.-Ing. Felix Wacker
 (Technical Director)