
## PHILIPP Threaded anchor system - combinations



• Sizes 56 and 60 only with RD-thread, diagonal tension < 30° possible, diagonal tension > 30° and lateral tension not possible. Using this Sealing cap in combination with Marking rings 74KR\_ and 74KR\_CLIP is not possible. Special solutions of fixations, nailing plates and sealing caps on request! This is just a summary of our product range which is only valid with corresponding Application Instructions of lifting devices and accessories.

evice	s	_	_	Sealing cap 3									
RE ROPE	WIRBELSTAR	WIRBELSTAR KH rotatable under load	WIRBELSTAR KH WITH ADAP. DISC rotatable under load	<b>PLASTIC</b> (concrete grey)	PLASTIC (transparent)	STAINLESS STEEL with slot or internal hexagon	PLASTIC (concrete grey)	STAINLESS STEEL with slot or internal hexagon	PLASTIC (concrete grey)	<b>PLASTIC</b> (concrete grey)	STAINLESS STEEL with slot or internal hexagon	STAINLESS STEEL	STAINLESS STEEL with slot or internal hexagon
						S	- II-	S			S		S
	Sizes: 12 to 60 Ref. no. RD-thread 62WS M-thread 62WSM			<b>Sizes:</b> 12 to 52 <b>Ref. no.:</b> 72ASS	<b>Sizes:</b> 12 to 60 <b>Ref. no.:</b> 72KAS	Sizes: 12 to 52 Ref. no.: 72ASKHNVA	Sizes: 12 to 52 Ref. no.: 72ASKHN	Sizes: 12 to 60 Ref. no.: 72ASSATVA	<b>Sizes:</b> 12 to 52 <b>Ref. no.:</b> 72AS01224PLAN 72AS03042PLAN 72AS052PLAN	<b>Sizes:</b> 12 to 24 <b>Ref. no.:</b> 72ASO	<b>Sizes:</b> 12 to 52 <b>Ref. no.:</b> 72ASOVA	<b>Sizes:</b> 12 to 52 <b>Ref. no.:</b> 72AS01224VA 72AS03042VA 72AS052VA	<b>Sizes:</b> 12 to 36 <b>Ref. no.:</b> 72ASMAX190VA
		-				-	-	-	-	-	-	-	-
	-	-	-				PHILIPPI BAO	-	-	-	-	-	-
	-	-	-				PHILIPP 840	-	-	-	-	-	-
	-	-	-					-	-	-	-	-	-
		-	-		THI -	-	-	-	-	-	-	-	-
	-	-	-			-	-	-	-	-	-	-	-
		-				-	-		-	-	-	-	-
		-					-		-	-	-	-	-
		-				-	-		-	-	-	-	-
	-		-	-	-	-	-	-					-
	-			-	-	-	-	-					-
	-		-	-	-	-	-	-					-
	-	-	- CLIP is not possible			-	-	-	-	-	-	-	

## **PHILIPP**GROUP